American Oystercatcher Band Database Update



Lindsay Addison


Audubon North Carolina

Background

Linked to on Members page of WG website.

Members: http://ancperch.org/amoy/index.html

Public: http://amoywg.org/banding-re-sighting/





Current Status

• 36,955 records, soon to be >38,000

>822 records submitted by the public

- First BBL submission coming up in 2015
 - See Data Sharing Agreement for additional information

Current Work

Updated Help page

 Continuing work checking public submissions and general QA/QC as records are added

Assign FWS numbers to all identifiable individuals

Add age based on capture records

Improvements

Notify members when certain bands are entered

- Some additional data checking within the data entry process
 - Flag duplicate band, site, and date

 KML-based maps for each state's sites and locations

Tips for Data Entry and Use

- Click on the help boxes
- Look for red error notifications
 - Such as missing code orientation
- Use drop-downs to reduce errors
 - If color/code combination isn't in drop-down bird does not exist or is new un-entered capture
- Get to know old banding schemes
 - www.amoywg.org has information <u>here</u> and <u>here</u>

- Photo search exists
- Google Earth results have been improved
 - Placemarks are clickable and have some pre-set searches
- You can delete and edit records
 - Except for location information, which require admin
- You don't have to use the public form if you are a Working Group member

Questions for Users

Definition of "Breeding" and "Non-breeding"

A breeding bird is one with eggs or with chicks. A non-breeding bird may occur in the breeding season and is a bird that does not have eggs or chicks. Once a breeding bird's chick or chicks have fledged, it is non-breeding. If breeding status could not be confirmed, use unknown. The notes field can always be used to add additional information, such as if the bird had scrapes or was territorial but did not yet have eggs. Dead indicates a bird found dead. Other may be used to indicate a bird in rehab or a bird in some other extraordinary situation; please explain in the notes.

Suggestions for database improvements?



laddison@audubon.org